



## Permissible impact attenuating surface

- Bark grain size 20 do 80mm, min. depth200
- Woodchip grain size 5 do 30 mm, min. depth 200mm
- Sand grain size 0,2 do 2 mm, min. depth 200mm
- Gravel grain size 2 do 8 mm, min. depth 200 mm
- Synthetic surfaces in accordance whit tested HIC (EN 1177)

The impact attenuating surfacing shall be installed on the whole of impact area. A loose-fill safety surface shall be 100mm thicker than min.

A loose-fill safety surface shall be 100mm thicker than min. depth indicated above.

## **Technical description**

- All posts made of closed profiles 100x100x3mm
- Bars and ladder made of Ø33,7x4mm pipes
- Bars longer than 2m made of Ø38x4mm pipes
- Horizontal ladder made of Ø38x4mm and Ø33,7x4mm pipes
- Exercise pole and parallel bars made of Ø38x4mm pipe
- Exercise bench made of 15mm HDPE sheet
- All steel elements are hot-dip galvanized and painted with an acrylic, structured lacquer
- The set includes foundations made of concrete class C25/30
- All posts shall be set in concrete class C16/20



## **Components of the Set**

- High parallel bars 1set
- Low parallel bars 1set
- Ladder 1 pc.
- Horizontal ladder 1 pc.
- Exercise pole 1 pc.
- Exercise bench with small ladder 1 pc.
- Long bar 8 pcs.
- Pull-up bar 8 pcs.

## **Product visualization**



