


## Impact area dimensions



## Permissible impact attenuating surface

- Bark grain size 20 do 80mm, min. depth200
- Woodchip grain size 5 do 30 mm, min. depth 200mm
- Sand grain size 0,2 do 2 mm, min. depth 200mm
- Gravel grain size 2 do 8 mm, min. depth 200 mm
- Synthetic surfaces in accordance whit tested HIC (EN 1177)

The impact attenuating surfacing shall be installed on the whole of impact area.

A loose-fill safety surface shall be 100mm thicker than min. depth indicated above.

## **Technical description**

- All posts made of closed profiles 100x100x3mm
- Bars and ladder made of Ø33,7x4mm pipes
- Exercise pole made of Ø48,3x2,9mm pipe
- Parallel bars made of Ø38x4mm bars
- Horizontal ladders made of pipes: Ø38x4mm and Ø33,7x4mm,
- All steel elements are hot-dip galvanized and painted with an acrylic, structured lacquer
- The set includes foundations made of concrete class C25/30
- All posts shall be set in concrete class C16/20



```
Components of the Set
```

- Pull-up bar 4pcs.
- Parallel bars 1set
- Ladder 1pc.
- Horizontal ladder 2pcs.
- Exercise pole 1pc.



